Johnson Matthey Metal Joining

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Identification of the

substance/preparation

Argo-braze[™] and Silver-flo[™] Brazing filler metals

Use of the

substance/preparation

Brazing.

Version No.

Λ1

Revision date

02-March-2010

Synonym(s)

Argo-braze[™] 60 & 60V * Argo-braze[™] 61 & 61V * Argo-braze[™] 63 & 63V * Argo-braze[™] 7 Argo-braze™ 72 * Argo-braze™ 72V * Silver-flo™ 1 * Silver-flo™ 2 * Silver-flo™ 4 * Silver-flo™ 5 * Silver-flo™ 12 * Silver-flo™ 16 * Silver-flo™ 18 * Silver-flo™ 20 * Silver-flo™ 24 * Silver-flo™ 25 * Silver-flo™ 252 * Silver-flo™ 30 * Silver-flo™ 302 * Silver-flo™ 33 * Silver-flo™ 34 * Silver-flo™ 35 * Silver-flo™ 38 * Silver-flo™ 38AWS * Silver-flo™ 40 * Silver-flo™ 43 * Silver-flo™ 44 * Silver-flo™ 45 * Silver-flo™ 45AWS * Silver-flo™ 452 * Silver-flo™ 453 * Silver-flo™ 453S * Silver-flo™ 55 * Silver-flo™ 56 * Silver-flo™ 56S * Silver-flo™ 60 * Silver-flo™ 602 * Silver-flo™ 67E * Silver-flo™ 67H * Silver-flo™ 67X * Silver-flo™ 70 * Silver-flo™ 74M * Silver-flo™ 78 *

Silver-flo™ 81E

Manufacturer/Supplier

Johnson Matthey Metal Joining

Address:

York Way, Royston Herts

SG8 5HJ

United Kingdom

e-mail:

E-mail: mj@matthey.com

Contact person:

Mr. J. A. Willingham, Mr. A.W. Musgrove, Mr. P. J. Webb

Telephone number: **Emergency phone (Access**

+44 (0) 1763 253 200 +1-760-476-3961 (333128)

code):

2. HAZARDS IDENTIFICATION

This preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Physical hazards

Not classified as a physical hazard.

Health hazards

Prolonged exposure may cause chronic effects.

Environmental hazards

Not classified as an environmental hazard.

Specific hazards

In its manufactured and shipped state, this product is considered to present low hazard. Elevated temperatures or mechanical action may form dust and fumes which may be irritating to the eye, mucous membranes and respiratory tract. Heating above the melting point releases metallic oxides which may cause metal fume fever by inhalation. The symptoms are shivering, fever, malaise and muscular pain. Under normal conditions of use the level of metallic oxide fumes released are unlikely to exceed the specified workplace exposure limits (WELs). However, bad brazing practice / overheating could result in the emission of fumes in harmful concentrations above the specified workplace exposure limits (WELs). Ingestion of silver may cause a permanently benign bluish grey discoloration to the skin (argyria). Hot or molten material may

produce thermal burns.

Main symptoms

Irritation of nose and throat. Irritation of eyes and mucous membranes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | Classification | CAS-No. | % | EC-No. / REACH Registration No. | Notes |
|------------|----------------|-----------|-------|---------------------------------|-------|
| Silver | - | 7440-22-4 | 1-95 | 231-131-3 | # |
| Copper | - | 7440-50-8 | 5-60 | 231-159-6 | # |
| Zinc | | 7440-66-6 | 0-40 | 231-175-3 | |
| Indium | | 7440-74-6 | 10-15 | 231-180-0 | # |
| Tin | | 7440-31-5 | 0-10 | 231-141-8 | |

Argo-braze[™] and Silver-flo[™] Brazing filler metals

SDS UK 2078 Version No.: 01 Revision date: 01-March-2010 Print Date: 02-March-2010

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. For more detailed chemical composition, refer to the certificate of analysis.

4. FIRST-AID MEASURES

Inhalation Move to fresh air. Get medical attention if discomfort persists.

Skin contact In case of contact with hot or molten product, cool rapidly with water and seek immediate medical

attention. Do not attempt to remove molten product from skin because skin will tear easily.

Eye contact In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion Not likely, due to the form of the product.

Most important symptoms and

effects

Irritation of nose and throat. Irritation of eyes and mucous membranes.

General advice Get medical attention if any discomfort develops. Seek medical attention for all burns, regardless

how minor they may seem. Show this safety data sheet to the doctor in attendance.

Notes to physician Treat symptomatically. Symptoms may be delayed.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Extinguishing media which must not be used for safety reasons

Extinguish with foam, carbon dioxide or dry powder.

Do not use water or halogenated extinguishing media.

Unusual fire & explosion

hazards

Solid metal is not flammable; however, finely divided metallic dust or powder may form an explosive mixture with air. Do not use water on molten metal: Explosion hazard could result.

Specific hazards Fire or high temperatures create: Metal oxides.

Hazardous combustion

products

Metal oxides.

Special protective equipment

for fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do it without risk.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear appropriate personal protective equipment.

Environmental precautions Avoid release to the environment.

Containment procedures Collect spillage.

Methods for cleaning up Material can be collected for re-use or scrapped as considered appropriate. Scrapped material

should be sent for refining to recover precious metal content.

7. HANDLING AND STORAGE

Handling Use with adequate ventilation. Do not breathe fumes or dust from this material. Brazing should

only be carried out under conditions of adequate ventilation or local exhaust extraction to ensure compliance with all relevant occupational exposure limits for the materials involved. Where local exhaust extraction is being used its effectiveness should be tested on a regular basis. Observe all necessary health and safety precautions relevant to the brazing process e.g. Flame brazing, HF Induction brazing etc. being employed. Wear appropriate personal protective equipment. Avoid contact with hot or molten material. Do not use water on molten metal. Observe good industrial

hygiene practices.

Storage Store in a cool, dry place. Store away from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

United Kingdom

| Components | Туре | Value | Form |
|-----------------------|------|-----------|----------------------------|
| Copper (7440-50-8) | STEL | 2 mg/m3 | Inhalable dusts and mists. |
| , | TWA | 0.2 mg/m3 | Fume. |
| | | 1 mg/m3 | Inhalable dusts and mists. |
| Indium (7440-74-6) | STEL | 0.3 mg/m3 | |
| , | TWA | 0.1 mg/m3 | |
| Silver (7440-22-4) | TWA | 0.1 mg/m3 | |
| Tin oxide (1332-29-2) | STEL | 4 mg/m3 | |
| , | TWA | 2 mg/m3 | |

Exposure controlsUse process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits.

Occupational exposure controls

In case of inadequate ventilation or risk of inhalation of fumes, use suitable respiratory equipment. Respiratory protection

Seek advice from local supervisor.

Not normally needed. If filler metal rods etc become heated during use or radiant heat and or Hand protection

flame splash from the work piece are likely, wear gloves to protect against thermal burns. Suitable

gloves can be recommended by the glove supplier.

Use approved safety glasses, goggles or face shields with tinted lenses if necessary. Seek advice Eye protection

on suitable eye protection products from supplier.

Skin and body protection Wear suitable protective clothing.

General Use personal protective equipment as required. Personal protective equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Environmental exposure

controls

Contain spills and prevent releases and observe national regulations on emissions.

Hygiene measures Handle in accordance with good industrial hygiene and safety practices. Observe any medical

surveillance requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Massive, solid metal. **Appearance**

Physical state Solid. Solid. **Form**

Colour Silver/Copper/Brass coloured metal depending on composition.

Odour Odourless. **Odour threshold** Not applicable. Not applicable. pН **Boiling point** Not available. Not available. Flash point **Flammability** Not available. Flammability limits in air, upper, Not available.

% by volume

Flammability limits in air, lower,

% by volume

Not available.

Not applicable. Vapour pressure Not available. Relative density Not available. Solubility (water) **Partition coefficient** Not applicable.

(n-octanol/water)

Freezing point

Viscosity Not applicable. Vapour density Not applicable. **Evaporation rate** Not applicable. Not available. **Melting point** Not available.

Not available. **Auto-ignition temperature**

0 %

Bulk density Not applicable.

Percent volatile 0 %

10. STABILITY AND REACTIVITY

Stability Stable at normal conditions.

Conditions to avoid Contact with incompatible materials. Materials to avoid Strong acids. Strong oxidising agents.

Hazardous decomposition

products

Fire or high temperatures create: Metal oxides.

Hazardous polymerisation Hazardous polymerisation does not occur.

11. TOXICOLOGICAL INFORMATION

Toxicological data

Components Test results

Silver (7440-22-4) Acute Dermal LD50 Rat: > 2000 mg/kg

Acute toxicity High concentrations of freshly formed fumes/dusts of metal oxides can produce symptoms of

metal fume fever. When heated, the vapours/fumes given off may cause respiratory tract irritation.

Routes of exposure Inhalation.

Chronic toxicity Prolonged inhalation may be harmful. Frequent inhalation of fume/dust over a long period of time

increases the risk of developing lung diseases. Ingestion of silver may cause a permanently

benign bluish grey discoloration to the skin (argyria).

Sensitisation Not a skin sensitiser.

Carcinogenicity IARC not listed.

MutagenicityNo test data available for the product.ReproductivityNo test data available for the product.

Epidemiology Based on epidemiological studies, pre-existing pulmonary disorders may be aggravated by

prolonged exposure to high concentrations of metal dust or fumes.

Local effects Elevated temperatures or mechanical action may form dust and fumes which may be irritating to

the eye, mucous membranes and respiratory tract.

Further information No other specific acute or chronic health impact noted.

12. ECOLOGICAL INFORMATION

Ecotoxicity Alloys in massive forms present a limited hazard for the environment.

Mobility Alloys in massive forms are not mobile in the environment.

Persistence and degradability The product is not biodegradable.

Bioaccumulation The product is not bioaccumulating.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Aquatic toxicity Not expected to be harmful to aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Scrapped material should be sent for refining to recover precious metal content. Solid metal and alloys in the form of particles may be reactive. Its hazardous characteristics, including fire and explosion, should be determined prior to disposal.

EU wastecodes 12 01 04

14. TRANSPORT INFORMATION

ADR

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. REGULATORY INFORMATION

Other regulations The product does not need to be labelled in accordance with EC directives or respective national

laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

16. OTHER INFORMATION

Inventory status

Country(s) or region Inventory name On inventory (yes/no)*

European Inventory of Existing Commercial Chemical

163

Substances (EINECS)

Europe European List of Notified Chemical Substances (ELINCS)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

Other information This SDS needs to be read in conjunction with SDS for the flux, where one is being used, to enable a full risk assessment to be made of the brazing operation.

Argo-braze[™] and Silver-flo[™] Brazing filler metals 2078 Version No.: 01 Revision date: 01-March-2010 Print Date: 02-March-2010 No

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is given in good faith, being based on the latest information available to Johnson Matthey PLC and is to the best of Johnson Matthey PLC's knowledge and belief, accurate and reliable at the time of preparation. However, no representation, warranty or guarantee is made as to the accuracy, liability or completeness and Johnson Matthey PLC assumes no responsibility therefore and disclaims any liability for any loss, damage or injury howsoever arising (including in respect of any claim brought by any third party) incurred using this information. The product is supplied on the condition that the end user accepts responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. Freedom from patent or any other proprietary rights of any third party must not be assumed.

Liability

Copyright: Information and images contained on printed or electronic media or stored within web pages published by Johnson Matthey Public Limited Company ("Johnson Matthey") are copyright and the property of Johnson Matthey. Johnson Matthey authorises you to copy printed or electronic SDS documents either for non-commercial use or to support sales of genuine Johnson Matthey Metal Joining products. Any such copy shall retain all copyrights and other proprietary notices, and any disclaimer contained thereon. Please note that none of the content of these documents or web pages may be incorporated into, reproduced on, or stored in any other web site, or in any other publication, whether in hard copy or electronic form. You may not, without our permission, 'mirror' this information in your own documents, on a website, or modify or re-use text. Trademarks: The JM logo©, the Johnson Matthey© name and all product names referred to in printed or electronic documents or on pages published by Johnson Matthey are trademarks of the Johnson Matthey Group of companies.

Issue date

02-March-2010

2078 Version No.: 01 Revision date: 01-March-2010 Print Date: 02-March-2010